

project Sodetal Advanced Wire Technologies: general overview

plant	product type	capacity 2015, tn / year
Sodetal Advanced Wire Technologies (AWT) s.a.s., Tronville-en-Barrois / Kosice	<p><u>TBR:</u></p> <p style="text-align: right;">2+7x0,28 (NT)</p> <p style="text-align: right;">3+8+13x0,22+1 (NT) / 3+8x0,22 (HT)</p> <p style="text-align: right;">3+9+15x0,175+1 (NT) / 3+9+15x0,22+1 (NT) / 3+9x0,22+1 (NT) / 3+9x0,25+1 (HT)</p> <p style="text-align: right;">3x0,20+6x0,35 (NT) / 3x0,20+6x0,35 (HT) / 3x0,20+7x0,23 (NT)</p> <p style="text-align: right;">7(3+9+15x0,175)+1 (NT) / 7(3+9+15x0,245)+1x0,245 (HT)</p> <p style="text-align: right;">7x7x0,25+1 (HT)</p> <p style="text-align: right;">5/8/14x0,265+1 (ST)</p> <p style="text-align: right;">0,20/18x0,175 (ST)</p> <p style="text-align: right;">0,22/18x0,20 (NT) / 0,22/18x0,20 (HT)</p> <p style="text-align: right;">12x0,20+1 (NT)</p> <p style="text-align: right;">27x0,175+1 (HT)</p> <p style="text-align: right;">3x0,20/9x0,175+1 (HT) / 3x0,22/9x0,20+1 (HT) / 3x0,22/9x0,20 (HT)</p> <p><u>CABLES (brass):</u></p> <p style="text-align: right;">3x7x0,23 (HENT) / 3x7x0,22 (SHE NT)</p> <p style="text-align: right;">4x7x0,35 (HENT)</p> <p style="text-align: right;">7x7 diam (2,4; 3,1; 3,4; 3,6; 4,4; 5,4) (NT)</p> <p style="text-align: right;">3x0,60 (NT)</p> <p style="text-align: right;">4x3x0,15 (NT)</p> <p><u>CABLES (Zn):</u></p> <p style="text-align: right;">7x7 diam. (2,8; 3,1; 3,4; 3,6; 3,8; 4,1; 4,4; 5,0; 5,2; 5,4) (NT)</p>	<p>Tronville: 8 000</p> <p>Kosice: 5 500</p> <hr/> <p>TOTAL: 13 500</p>

project Sodetal Advanced Wire Technologies: general overview

plant	product type	capacity 2015, tn / year
Sodetal Advanced Wire Technologies (AWT) s.a.s., Tronville-en-Barrois / Kosice	<u>PLATED WIRE (for ext. sales, Tronville-en-Barrois only):</u>	5 000
	<u>HOSE WIRE:</u> 0,20; 0,38; 0,50; 0,60; 0,65; 0,70 (2450-2750 2750-3050) 0,25; 0,35; 0,40; 0,45 (2450-2750 2750-3050 3050-3350) 0,30 (2450-2750 2750-3050 3050-3350 3200-3500) 0,55 (2150-2450 2450-2750 2750-3050) 0,80 (2150-2450 2750-3050) <u>TIMING BELTS:</u> 3x3x0,08; 3x3x0,12; 3x3x0,15 (ZS or SZ) 7x3x0,08 ; 7x3x0,10; 7x3x0,15 (ZS or SZ) 7x4x0,12 (S or Z) 7x19x0,12 (ZS or SZ) 1x3+5x7x0,15 (ZZS or SSZ)	Tronville: 4 500 Kosice: 2 500 <hr/> TOTAL: 7 000

project Sodetal Advanced Wire Technologies: general overview

plant	product type					capacity 2015, tn / year
Sodetal Advanced Wire Technologies (AWT) s.a.s., Tronville-en-Barrois / Kosice	<p><u>PCR:</u></p> <p>2+1x0,26 (HT) / 2+1x0,28 (NT) / 2+1x0,30 (NT) 2+2x0,25 (NT) / 2+2x0,28 (NT) 2x0,30 (HT) / 2x0,30 (NT) 4x0,22 (NT) / 4x0,28 (NT) 5x0,25 OPEN (NT)</p>					<p>Tronville: 5 500 Kosice: 6 500</p> <hr/> <p>TOTAL: 12 000</p>
	<u>SAWING WIRE (Tronville-en-Barrois only):</u>					3 000
	wire diam, mm	breaking load, N	tensile strength, M/Pa	elongation, %	max length per spool, km	
	0,250	150	3 050	2,6	255	
	0,160	72	3 600		630	
	0,140	57	3 700		800	
	0,130	52	3 900		900	
	0,120	45	3 980		1 100	
	0,115	38	3 650		1 195	
	0,110	34	3 560		1 300	
0,100	28	3 600	1 450			